



www.xldisplays.co.uk
01733 511030

Fabric Monolith LED Display 2000mm

Please note, the base is made from white
superstretch and is not printed

ARTWORK CHECKLIST

Please follow the 8 steps below before
submitting print ready artwork files.

- 1

Create artwork on the ‘Artwork’ Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2

Keep critical artwork (images, logos, copy or text) within white ‘safe’ area.
- 3

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4

All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5

All linked images used on this template must have a minimum resolution of 300dpi.
- 6

All fonts must be converted to outlines - no live copy to remain.
- 7

You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8

Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to “Create Acrobat layers from top level layers”.

25%


This template is supplied
at 25% of finished size -
DO NOT RESIZE

3mm

This template
includes 3mm bleed
(black line / stroke).



The overall size of
this template is
318 (w) x 507.5 (h) mm
and includes bleed.



Product Graphic Area:
1266 (w) x 2025 (h) mm

Safe Area:
1171 (w) x 1929 (h) mm
This is the white safe
area, keep all critical
artwork within this area.

FRONT

TOP

SAFE AREA

BACK